


<div><div></div></div>																		
<table><tr><td>Width (B)</td><td>8 mm</td></tr><tr><td>Contact Angle</td><td>15° contact angle</td></tr><tr><td>Bearing Arrangement</td><td>Single</td></tr><tr><td>Brand</td><td>SKF</td></tr><tr><td>Precision</td><td>P4A</td></tr><tr><td>Ring Material</td><td>Chrome Steel 100Cr6</td></tr><tr><td>Ball Material</td><td>Chrome Steel 100Cr6</td></tr><tr><td>Dynamic Load(Cr)</td><td>921 lbs</td></tr></table>		Width (B)	8 mm	Contact Angle	15° contact angle	Bearing Arrangement	Single	Brand	SKF	Precision	P4A	Ring Material	Chrome Steel 100Cr6	Ball Material	Chrome Steel 100Cr6	Dynamic Load(Cr)	921 lbs	<div><div></div></div>
Width (B)	8 mm																	
Contact Angle	15° contact angle																	
Bearing Arrangement	Single																	
Brand	SKF																	
Precision	P4A																	
Ring Material	Chrome Steel 100Cr6																	
Ball Material	Chrome Steel 100Cr6																	
Dynamic Load(Cr)	921 lbs																	
		COMPONENT																
<div></div>	<div><div>Pacific International Bearing, Inc.</div><div>33258 Central Ave, Union City, CA 94587</div><div>1-800-228-8895, 510-512-7000,</div><div>info@pibsales.com</div><div>www.pibsales.com</div></div>	<div><div>This file and any associated information and specifications are provided for reference and evaluation purposes only, and is subject to change without notice. PIB makes no representations, warranties or guarantees as to the appropriateness, accuracy, completeness, or suitability for any purpose, of the file, information or specifications. You are solely responsible for the use of the file, information or specifications.</div></div>	<div>7000 CD/P4A</div> <div>SKF</div> <div>10mm X 26mm X 8mm, Super Precision, Angular Contact Bearing, 15° Contact Angle, Single</div>															
			UNIT															
			SHEET															